

References

Becker W, Foley S, Shelley E, Gibney M
Energy under-reporting in Swedish and Irish dietary surveys: implications for food-based dietary guidelines
[Br J Nutr. 1999; 81\(suppl 2\):s127-s131](#)

Black AE, Goldberg GR, Jebb SA, Livingstone MBE, Cole TJ et al
Critical evaluation of energy intake data using fundamental principles of energy physiology: 2 Evaluating the results of published surveys
[Eur J Clin Nutr. 1991; 45:583-99](#)

Black AE and Cole TJ
Within- and between subject variation in energy expenditure measured by the doubly labelled water technique: implications for validating reported dietary energy intake
[Eur J Clin Nutr. 2000; 54:386-94](#)

Black AE
Critical evaluation of energy intake using the Goldberg cut-off for energy intake: basal metabolic rate. A practical guide to its calculation, used and limitations
[J Obes. 2000a; 24:1119-30](#)

Black AE
The sensitivity and specificity of the Goldberg cut-off for EI:BMR for identifying diet reports of poor validity
[Eur J Clin Nutr. 2000b; 54:395-404](#)

Black AE and Cole TJ
Biased over- or under- reporting is characteristic of individuals whether over time or by different assessment methods
[J Am Diet Assoc. 2001; 101:70-80](#)

Goldberg GR, Black AE, Jebb SA, Cole TJ, Murgatroyd PR et al
Critical evaluation of energy intake data using fundamental principles of energy physiology: 1 Derivation of cut-off values to identify under-recording
[Eur J Clin Nutr. 1991; 45:569-81](#)

FAO/WHO/UNU 1985
Energy and protein requirements: report of a joint FAO/WHO/UNU Expert Consultation. Geneva: World Health Organisation

Livingstone MBE and Black AE
Markers of the validity of reported energy intake
[J Nutr. 2003; 133:895S-920S](#)

Livingstone MBE, Robson PJ, Black AE, Coward WA, Wallace JMW et al
An evaluation of the sensitivity and specificity of energy expenditure measured by heart rate and the Goldberg cut-off for energy intake: basal metabolic rate for identifying mis-reporting of energy intake by adults and children: a retrospective analysis
[Eur J Clin Nutr. 2003; 57:455-63](#)

McCrorry MA, Hajduk CL, Roberts SB
Procedures for screening out inaccurate reports of dietary energy intake
[Pub Health Nutr. 2002; 5:873-82](#)

Prentice AM, Black AE, Coward WA, Davies HL, Goldberg GR et al
High levels of energy expenditure in obese women
[Br Med J. 1989; 292:983-87](#)

Rasmussen LB, Matthiessen, Biloft-Jensen A, Tetens I
Characteristics of misreporters of dietary intake and physical activity
[Pub Health Nutr. 2007; 10:230-7](#)

Rennie KL, Jebb SA, Wright A, Coward WA
Secular trends in under-reporting in young people
[Br J Nutr. 2005; 93:241-7](#)

Rennie KL, Coward A, Jebb SA
Estimating under-reporting of energy intake in dietary surveys using an individualised method
[Br J Nutr. 2007; 97:1169-76](#)

Schoeller DA and van Santen E
Measurement of energy expenditure in humans by doubly labelled water method
[J Appl Physiol. 1982; 53:955-9](#)

Schoeller DA
Validation of habitual energy intake
[Pub Health Nutr. 2002; 5:883-8](#)

Schofield WN, Schofield C and James WPT
Basal metabolic rate
[Hum Nutr Clin Nutr. 1985; 39C \(supplement 1\):1-96](#)

Vinken AG, Bathalon GP, Sawaya AL, Dallal GE, Tucker KL et al
Equations for predicting the energy requirements of healthy adults aged 18-81 y
[Am J Clin Nutr. 1999; 69:920-6](#)